

Report

Telepaediatrics in rural and remote Australia and Canada

Sydney Morris, Sebastian Steven, Michele LeBlanc, Sam Petrie, Dean Carson, Paul A. Peters

DOI: <http://dx.doi.org/10.22215/sdhlab/2019.5>

What is known?

- Rural and remote communities in Australia and Canada experience barriers to specialized services
- Telehealth services are not sufficiently established, with no frameworks currently available in the literature

What does this study add?

- Barriers and facilitators of rural and remote paediatric telehealth services are investigated
- Future directions for these services in rural and remote areas are explored and considerations are established

JULY 26, 2019



BACKGROUND

Rural and remote communities in Australia and Canada experience barriers to accessing healthcare services (1). These barriers are especially pronounced when attempting to access more specialized health care services, such as paediatrics (2–4). Both countries have implemented programs that aim to bridge the gap between rural communities and specialized healthcare. One such service is telepaediatrics.

Telepaediatrics, as part of telehealth, refers to any paediatric health-related service, network, or medical tool that transmits voice, data, images and information through telecommunication programs as part of providing health services (5–7). Telehealth services are ideal because they remove the need to relocate the rural patient to urban specialist sites (5–7).

In a WHO survey (2010), 60% of member countries had telehealth services in place, but only 30% of these programs were implemented as part of routine care (8). Only 3 member countries had established telepaediatric services in place (8). No previous investigations examine the use of telehealth programs in urban versus rural settings (8). This review aims to identify the common barriers to telepaediatric services in rural Australia and Canada and outlines suggestions for future implementation.

KEY FINDINGS



Poor cooperation between rural and urban health care workers.

Urban physicians are often unaware of rural health constraints, while rural physicians may disagree with urban physician's prescribed treatments, both affecting the patient's receipt of services.



Scheduling issues impact use of telepaediatric services.

Factors such as time zone changes between urban and rural sites, understaffing at the rural site, and ability of patients to modify their schedules can lead to less meetings and poor use of services



Problems with service technology encourages discontinuation of program

Technology problems were noted to often delay conversation, affect the quality of meetings, and stop meetings altogether, further impacting service use.



Hiring a telehealth coordinator was most often reported solution.

A telehealth coordinator can act as a single point of contact between stakeholders that would oversee coordinating schedules, booking, and follow up.



Design of service technology must be improved and tailored.

Technology used in telepaediatric services should be easy to set up, incorporate visual instructions, and be child friendly.




Support from both rural and urban stakeholders must be encouraged

Both rural and urban stakeholders should be fully committed to the deliverance of telepaediatric services. These stakeholders should also be prepared to accommodate the needs of the other in facilitating service delivery

SOLUTIONS AND BARRIERS

This review identified 7 major barriers and 6 major solutions to establishing telepaediatric services in rural Australia and Canada, as outlined in the figure below. A major overall finding that facilitated the transition from barrier to solution was encouraging the continued cooperation between urban and rural healthcare settings. Given the lack of specialists in rural settings and the fact that urban specialists were often uninformed of the limitations in a rural healthcare setting (3,9–12), facilitating knowledge exchange between urban and rural practitioners was paramount to better serving patients and their families in ways that did not cause undue stress or hinder treatment plans.



The single most reported solution across all literature was the need for a telehealth coordinator in rural and remote settings (3,9,11,13–19). This solution directly addresses the scheduling barrier (9,10,12,17,20,21) also identified in this review. Face to face pre-planning as a solution directly addressed the barrier that rural and urban physicians do not effectively co-operate in delivering

telehealth (12). Patients reported that prior needs assessments with urban physicians were rarely conducted (3,10–12) and that a disagreement between urban and rural physicians over treatments, such as prescriptions, halted effective care (21). The solution of face to face pre-planning involving rural and urban physicians along with the patient and their family could effectively bridge this divide so interruptions to care do not occur.

FUTURE CONSIDERATIONS

Currently, no universal set of guidelines for establishing telepaediatric services exists in the literature. This review provides the beginning of a framework for building and implementing these services.

Considerations should be made surrounding rural specificity of healthcare (22). eHealth, a broad concept within which telehealth and thus telepaediatrics, falls as a framework for rural healthcare is still relatively new. Some rural and remote communities may have adopted these concepts more than others (23,24). Communities familiarity with this form of healthcare delivery should be taken into consideration in the method of implementation of the service and education of the community.

The use of telehealth is unable to completely outsource face-to-face meetings with health care professionals (10,11,15,19,25,26). It should not be expected that with the implementation of paediatric telehealth, any in-person contact with a specialized health care professional is dismissed. Face-to-face meetings are effective for establishing patient-provider trust and allows for more effective collaboration between the patient's urban and rural physicians (6,27). This balance between when to use technology over face-to-face meetings, must be established in future telepaediatrics services in rural and remote areas.

Lastly, the uniqueness of paediatrics as a medical speciality, must be worked into the system of rural and remote telehealth services. For example, the child-friendliness of technology used in telepaediatrics, is much more important than the technology in telehealth approaches to other specialities (28,29). In addition, both the patient's and caregiver's reaction to telehealth practices and technology have to be accounted for, as one can influence the other and promote discontinuation of the service in some cases (15,30,31). Telehealth approaches to healthcare service delivery become especially important in a paediatric setting, where both children and caregiver would be need to relocated to urban specialist sites otherwise, increasing costs and induced stress (31,32).

METHODS

A structured scoping review was undertaken to identify and categorize literature regarding telepaediatric services, across various medical sub-specialties, in Australia and Canada. Searches were conducted in a general eHealth database created previously by two research reviewers. This review followed the framework proposed by Arksey & O'Malley (33). The five steps included in this framework were (1) identifying the research question (2) identifying relevant studies (3) study selection (4) charting the data (5) collating, summarizing and reporting the data. The scoping review identified 24 primary sourced articles that met inclusion criteria. Articles that were focused on the satisfaction, sustainability or effectiveness of the service delivery of the programs (i.e. if articles focused on economics or on technical functionality of the telehealth technology) were included.

ACKNOWLEDGEMENTS

This report was prepared as part of the *Free Range International Knowledge Partnership* program, funded by the Social Sciences and Humanities Research Council of Canada (SSHRC). The report summarises the findings from the Senior Honours Thesis paper, *Telepaediatric services for rural and remote Canadian and Australian regions: a scoping review of implementation barriers and solutions* by Sydney Morris as part of requirements for a Bachelor of Health Sciences degree, conferred in June 2019.

REFERENCES

1. Gessert C, Waring S, Bailey-Davis L, Conway P, Roberts M, VanWormer J. Rural definition of health: a systematic literature review. *BMC Public Health* [Internet]. 2015 Dec 14 [cited 2019 Nov 14];15(1):378. Available from: <http://bmcpublikealth.biomedcentral.com/articles/10.1186/s12889-015-1658-9>
2. Fleet R, Poitras J, Maltais-Giguère J, Villa J, Archambault P. A descriptive study of access to services in a random sample of Canadian rural emergency departments. *BMJ Open* [Internet]. 2013 Nov 27 [cited 2019 Nov 14];3(11):e003876. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24285633>
3. Smith A, Armfield N, White M, Williams M, Koh T, Hurley T, et al. Clinical services and professional support: A review of mobile telepaediatric services in Queensland. *Stud Health Technol Inform*. 2010 Jan 1;161:149–58.
4. Starr S, Campbell LR, Herrick CA. Factors affecting use of the mental health system by rural children. *Issues Ment Health Nurs* [Internet]. 2002 Jan 1;23(3):291–304. Available from: <https://doi.org/10.1080/016128402753543027>
5. Brophy PD. Overview on the challenges and benefits of using telehealth tools in a pediatric population. *Adv Chronic Kidney Dis* [Internet]. 2017 Jan 1 [cited 2019 Nov 14];24(1):17–21. Available from: <https://linkinghub.elsevier.com/retrieve/pii/S1548559516301537>
6. Singh R, Mathiassen L, Stachura ME, Astapova E V. Sustainable rural telehealth innovation: a public health case study. *Health Serv Res* [Internet]. 2010 Aug [cited 2019 Nov 14];45(4):985–1004. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/20459449>
7. Canada's Health Informatics Association. 2013 Canadian Telehealth Report [Internet]. 2013. Available from: <https://www.synaptex.ca/2017/10/27/2013-canadian-telehealth-report/>
8. World Health Organization. Telemedicine: opportunities and developments in member states: report on the second global survey on eHealth [Internet]. Geneva PP - Geneva: World Health Organization; 2010. (Global Observatory for eHealth Series, 2). Available from: <https://apps.who.int/iris/handle/10665/44497>

9. Ens CDL, Hanlon-Dearman A, Millar MC, Longstaffe S. Using telehealth for assessment of Fetal Alcohol Spectrum Disorder: the experience of two Canadian rural and remote communities. *Telemed e-Health* [Internet]. 2010 Oct 1 [cited 2019 Nov 15];16(8):872–7. Available from: <https://www.liebertpub.com/doi/10.1089/tmj.2010.0070>
10. Greenberg N, Boydell KM, Volpe T. Pediatric telepsychiatry in Ontario: caregiver and service provider perspectives. *J Behav Health Serv Res* [Internet]. 2006 Feb 24 [cited 2019 Nov 15];33(1):105–11. Available from: <http://link.springer.com/10.1007/s11414-005-9001-3>
11. Edirippulige S, Smith A. Telepaediatrics in Queensland: Evidence for quality, reliability and sustainability. *E-Health Syst Qual Reliab Model Stand*. 2010 Jan 1;253–62.
12. Volpe T, Boydell K, Pignatiello A. Mental health services for Nunavut children and youth: Evaluating a telepsychiatry pilot project. *Rural Remote Health*. 2014 May 16;14:2673.
13. Rowell PD, Pincus P, White M, Smith AC. Telehealth in paediatric orthopaedic surgery in Queensland: a 10-year review. *ANZ J Surg* [Internet]. 2014 Dec 1 [cited 2019 Nov 17];84(12):955–9. Available from: <http://doi.wiley.com/10.1111/ans.12753>
14. Rimal D, Huang Fu JH, Gillett D. Our experience in using telehealth for paediatric plastic surgery in Western Australia. *ANZ J Surg* [Internet]. 2017 Apr 1 [cited 2019 Nov 17];87(4):277–81. Available from: <http://doi.wiley.com/10.1111/ans.13925>
15. Fairweather GC, Lincoln MA, Ramsden R. Speech-language pathology teletherapy in rural and remote educational settings: Decreasing service inequities. *Int J Speech Lang Pathol* [Internet]. 2016 Nov 4 [cited 2019 Nov 17];18(6):592–602. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27063692>
16. Ryan V-N, Stathis S, Smith AC, Best D, Wootton R. Telemedicine for rural and remote child and youth mental health services. *J Telemed Telecare* [Internet]. 2005 Dec 2 [cited 2019 Nov 17];11(2_suppl):76–8. Available from: <http://journals.sagepub.com/doi/10.1258/135763305775124902>
17. McWilliams TL, Gilroy F, Wood FM. The successes and challenges of providing a paediatric burns service by telehealth in Western Australia. *J Telemed Telecare* [Internet]. 2007 Dec 2 [cited 2019 Nov 17];13(3_suppl):63–4. Available from: <http://journals.sagepub.com/doi/10.1258/135763307783247185>
18. Smith AC, Coulthard M, Clark R, Armfield N, Taylor S, Goff R, et al. Wireless telemedicine for the delivery of specialist paediatric services to the bedside. *J Telemed Telecare* [Internet]. 2005 Dec 2 [cited 2019 Nov 17];11(2_suppl):81–5. Available from: <http://journals.sagepub.com/doi/10.1258/135763305775124669>
19. Wood J, Stathis S, Smith A, Krause J. E-CYMHS: an expansion of a child and youth telepsychiatry model in Queensland. *Australas Psychiatry* [Internet]. 2012 Aug 6 [cited 2019 Nov 17];20(4):333–7. Available from: <http://journals.sagepub.com/doi/10.1177/1039856212450756>

20. Edirippulige S, Reyno J, Armfield NR, Bambling M, Lloyd O, McNevin E. Availability, spatial accessibility, utilisation and the role of telehealth for multi-disciplinary paediatric cerebral palsy services in Queensland. *J Telemed Telecare* [Internet]. 2016 Oct 10 [cited 2019 Nov 17];22(7):391–6. Available from: <http://journals.sagepub.com/doi/10.1177/1357633X15610720>
21. Boydell KM, Volpe T, Kertes A, Greenberg N. A review of the outcomes of the recommendations made during paediatric telepsychiatry consultations. *J Telemed Telecare* [Internet]. 2007 Sep 24 [cited 2019 Nov 17];13(6):277–81. Available from: <http://journals.sagepub.com/doi/10.1258/135763307781644889>
22. Peters P, Carson D, Porter R, Vuin A, Carson D, Ensign P. My village is dying? Integrating methods from the inside out. *Can Rev Sociol Can Sociol* [Internet]. 2018 Aug 1 [cited 2019 Nov 18];55(3):451–75. Available from: <http://doi.wiley.com/10.1111/cars.12212>
23. Rosina R, Starling J, Nunn K, Dossetor D, Bridgland K. Telenursing: clinical nurse consultancy for rural paediatric nurses. *J Telemed Telecare* [Internet]. 2002 Dec 2 [cited 2019 Nov 18];8(3_suppl):48–9. Available from: <http://journals.sagepub.com/doi/10.1258/13576330260440844>
24. Cloutier P, Cappelli M, Glennie JE, Keresztes C. Mental health services for children and youth: a survey of physicians' knowledge, attitudes and use of telehealth services. *J Telemed Telecare* [Internet]. 2008 Mar 1 [cited 2019 Nov 18];14(2):98–101. Available from: <http://journals.sagepub.com/doi/10.1258/jtt.2007.070815>
25. Hopper B, Buckman M, Edwards M. Evaluation of satisfaction of parents with the use of videoconferencing for a pediatric genetic consultation. *Twin Res Hum Genet* [Internet]. 2011 Aug 1 [cited 2019 Nov 18];14(4):343–6. Available from: https://www.cambridge.org/core/product/identifier/S1832427400011567/type/journal_article
26. Desai S, Williams ML, Smith AC. Teleconsultation from a secondary hospital for paediatric emergencies occurring at rural hospitals in Queensland. *J Telemed Telecare* [Internet]. 2013 Oct 10 [cited 2019 Nov 18];19(7):405–10. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24218355>
27. Williams M, Smith A. Paediatric outreach services. *J Paediatr Child Health* [Internet]. 2004 Sep [cited 2019 Nov 18];40(9–10):501–3. Available from: <http://doi.wiley.com/10.1111/j.1440-1754.2004.00450.x>
28. Lambert V, Coad J, Hicks P, Glacken M. Young children's perspectives of ideal physical design features for hospital-built environments. *J Child Heal Care* [Internet]. 2014 Mar 19 [cited 2019 Nov 18];18(1):57–71. Available from: <http://journals.sagepub.com/doi/10.1177/1367493512473852>
29. Allsop MJ, Holt RJ, Levesley MC, Bhakta B. The engagement of children with disabilities in health-related technology design processes: Identifying methodology. *Disabil Rehabil Assist*

Technol [Internet]. 2010 Jan 26 [cited 2019 Nov 18];5(1):1–13. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/19941436>

30. Ames KE, Rennick JE, Baillargeon S. A qualitative interpretive study exploring parents' perception of the parental role in the paediatric intensive care unit. *Intensive Crit Care Nurs* [Internet]. 2011 Jun 1 [cited 2019 Nov 18];27(3):143–50. Available from:
<https://www.sciencedirect.com/science/article/abs/pii/S0964339711000279>
31. Matlow AG, Moody L, Laxer R, Stevens P, Goia C, Friedman JN. Disclosure of medical error to parents and paediatric patients: assessment of parents' attitudes and influencing factors. *Arch Dis Child* [Internet]. 2010 Apr 1 [cited 2019 Nov 18];95(4):286–90. Available from:
<http://www.ncbi.nlm.nih.gov/pubmed/19948514>
32. Smith AC, Youngberry K, Christie F, Isles A, McCrossin R, Williams M, et al. The family costs of attending hospital outpatient appointments via videoconference and in person. *J Telemed Telecare* [Internet]. 2003 Dec 2 [cited 2019 Nov 18];9(2_suppl):58–61. Available from:
<http://journals.sagepub.com/doi/10.1258/135763303322596282>
33. Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* [Internet]. 2005 Feb [cited 2019 Nov 18];8(1):19–32. Available from:
<http://www.tandfonline.com/doi/abs/10.1080/1364557032000119616>